



भारत का राजपत्र The Gazette of India

प्रस्ताधारण

EXTRAORDINARY

भाग I—खंड 1

PART I—Section 1

प्रधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं० 117] नई दिल्ली, बुधवार, अगस्त 16, 1967/श्रावण 25, 1889

No. 117] NEW DELHI, WEDNESDAY, AUGUST 16, 1967/SRAVANA 25, 1889

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह प्रलग संकलन के रूप में रखा जा सके।

Separate paging is given to this Part in order that it may be filed as a separate compilation.

MINISTRY OF COMMERCE

PUBLIC NOTICES

IMPORT TRADE CONTROL

New Delhi, the 14th August, 1967

SUBJECT:—*Revalidation of import licences issued under the Erstwhile E. P. Schemes and the National Defence Remittance Scheme.*

No. 80-ITC(PN)/67.—Attention is invited to paragraph 205(10) of Chapter X of the Import Trade Control Hand Book of Rules and Procedure, 1967 published under the Ministry of Commerce Public Notice No. 57-ITC(PN)/67 dated the 3rd July, 1967, which provides that revalidation of licences not covered by the sub-paragraphs 205(1—8) of the Hand Book will not ordinarily be allowed, and that in cases of genuine difficulty the licensing authority may grant extension for a short period on merits.

2. The question of revalidation of import licences for items other than machinery and equipment issued under the Erstwhile Export Promotion Schemes and the National Defence Remittance Scheme has been considered and the following decisions have been taken for dealing with the requests for revalidation of such licences:—

- (i) No extension in the validity period of the licences will be granted in cases where the initial period of validity expires beyond 30-9-1967.
- (ii) In the case of licences whose initial period of validity expires on a date before the end of September, 1967 the requests for revalidation upto the 30th September 1967 may be entertained on merits, provided that even in such cases no extension in the period of validity will be granted if the licence has already been revalidated for a period of six months.

3. Applications for revalidation of licences in terms of this Public Notice will be entertained by the licensing authority who issued the licence or by any regional licensing authority. Such requests for revalidation will be considered by the licensing authorities on merits where such authority is satisfied that the request for revalidation is based on genuine difficulty and the refusal to grant extension in the validity period will cause hardship or loss to the licence-holder.

[Issued from file No. IPC (Genl. 40)/65]

SUBJECT:—*Import policy for Ball and Roller Bearings for the year April 1967—March 1968.*

No. 81-ITC (PN)/67:—Attention is invited to the Import policy for Ball and Roller Bearings as given against S. No. 19/II (pages 125—128) in Part 'A' Section III and Appendix I4 of the Red Book for the year April 1967—March 1968 incorporating the sizes of banned and restricted types of ball bearings, roller bearings and tapered roller bearings.

2. As a result of indigenous production, the position has been reviewed and it has been decided to make amendments in the Red Book for April 1957—March 1958 as indicated in the Annexure to this Public Notice.

ANNEXURE

Page No. of Red Book	Reference	Details of amendments
2		3
33	Section II, S. No. 19 (2)(i)/II Column 2.	For the words 'Roller Bearings' read :— "Roller Bearings including needle roller bearings and needle roller assemblies."
33	Section II, S. No. 19 (2)(ii)/II, Column 2.	For the existing description read :— "Component parts of roller bearings including accessories such as : Roller including needle rollers, sleeves, nuts and washers."
126	Section III, Part 'A' S. No. 19(3)(i)/II, Column 2.	For 'Roller Bearings' read :— "Roller Bearings including needle roller bearings and Needle assemblies."
130	Section III, Part 'A' S. No. 19(2)(i)/II, Column 2 & 3.	1. For the existing description in column 2, read :— "Component parts of Roller bearings including accessories such as, rollers including needle rollers, sleeves, nuts and washers." 2. In column 3, the following new remark may be inserted after A. U. :— "Applications for import of needle rollers other than those shown below will be considered."

Diameter	Length
1. 2.25 mm to 2.54 mm (0.089" to 0.1").	9.9 mm to 20.06 mm (0.39" to 0.79").
2. 2.90 mm to 3.20 mm (0.114" to 0.126").	9.9 mm to 30.5 mm (0.39" to 1.2").

1

2

3

361

Section IV, Appendix 14 (1) (a) Special bearing—Metric Sizes.

The following sizes of special bearings may be inserted under this heading in the manner indicated below :—

2

3

4

5

6

..

..

12025C
(RIV No.)

25mm

52 mm
one side
56mm
other side

18mm

..

..

L20

20mm

47mm

14mm

..

A20

E20

20mm

47mm

12mm

..

..

393105

(BBL No BT 2003 for Textile machinery)

..

..

SB20C
(KOYO No)

(BBL No BT 2015 for Textile machinery)

..

..

5035
(RIV No.)

(BBL No. BA 2008 Fiat Part No. F. 374403/1.28.165)

N 3179

402703

(BBL No. BA 2009)
(Water Pump Bearing)
for Massey Ferguson Tractors and Standard 20).

..

..

10016
(RIV No)

(BEL No BA 2010 Fiat Part No. F-848076/1.28.123)

361

Section IV, Appendix 14(1)(a) Light Series—double row self aligning adapter bearings.

1

For the existing entry 'Inch sizes' shown under this head, Read "Metric Sizes".

2

The Hoffman No. 'UT 130 E' shown in line 2 against SKF No. 1506, may be amended to read as "UT 130".

362

Section IV, Appendix 14(1) (a)—Self aligning ball bearings.

1

The following entry may be deemed to have been inserted above the SKF No. 6302/16 shown in line 2 under the heading self Aligning Ball Bearings—Inch sizes :—
"Self Aligning Ball Bearings—metric sizes".

The following metric sizes of self Aligning Ball Bearing may be inserted against the SKF No. 6302/16 under the columns indicated :—

4.

5.

6.

16mm

42mm

13mm

362

Section IV, Appendix 14(1) (a)—Thrust Bearings.

For the existing heading read :—
"Thrust Bearing—Metric sizes".

The following metric sizes of Thrust bearings may be inserted against the SKF No. 51203-S/W under the columns indicated :—

4.

5.

6.

17mm

35mm

12mm

1

2

3

- 362 Section IV, Appen-The following N.B. may be added at the end of appendix 14(1)(a) :-
dix 14(1)(a)

N.B. The ban relates to standard bearings only. Import of extra precision and heavy duty bearings will be considered on merits.

- 4 Section IV, Appen-
dix 14(2)(a) :-

Tapered Ball met- The existing entries shown under this head may be replaced by
ric sizes. the following :-

1	2	3	4	5	6
..	..	6206-K	Taper	62mm	16mm
		6208-K	Taper	80mm	18mm
		6209-K	Taper	85mm	19mm

- 365 Section IV, Appen- For '13/8" under column 4, read '1 3/4".
dix 14 (2) (a) Double
Row Self Align-
ing Ball Bearings—
Medium Series

Section IV, Appen- The entries "Inch sizes" wherever appearing under this head may
dix 14 (2) (a) Light be read as—"Metric sizes".
wide series—Inch
sizes.

- 366 Section IV, Appen- 1 For the entry '25mm' in line 6 under column 6 read '16mm'
dix 14 (2) (a) Spe- 2 The entry 12025 C (RIV No.) may deemed to have been
cial Bearings. deleted.
3 The existing entry '10563 (RIV No) Fiat Part No. F 872489/
1.28.122' may be substituted by the following :-

1	2	3	4	5	6
..	..	10593 (RIV No)	25.5mm	72mm	19mm

- 367 Section IV, Appen- For the entry 51109 A under Column 3 Read as under :-
dix 14(2) (a), Heavy
series—Inch sizes.

Metric sizes

51109A 45mm 65mm 14mm

- 367 Section IV, Appen- The following N. B. may be added at the end of Appendix 14 (2)
dix 14(2)(a). (a) :-

"The ban relates to standard bearings only. Import of extra precision and heavy duty bearings will be considered on merits."

1	2	3
368	Section IV Appendix 14 (2) (b) Single Row Angular Contact Ball Bearings—Light Series—Metric Sizes	The I.S. I. No. "40 BAO", shown in column (1) may be read as "40 BAO 2".

369	Section IV Appendix 14 (2) (c) Medium Series—Single Row Angular Contact Ball Bearings—Metric Sizes.	For the entry '35 BAO 2' in line 1, under Column (1), Read "35 BAO 3".
-----	-----------------------------------------------------------------------------------------------------	------------------------------------------------------------------------

369	Section IV Appendix 14 (2) (c) Light Series Double Row Self Aligning Ball Bearings—Inch sizes.	The entry '306445 B' shown under this head in column 3, may be substituted by the following :															
		<table border="1"> <thead> <tr> <th></th> <th colspan="4">"Metric Sizes"</th> </tr> <tr> <th></th> <th>(3)</th> <th>(4)</th> <th>(5)</th> <th>(6)</th> </tr> </thead> <tbody> <tr> <td>306445 B</td> <td>50mm</td> <td>81.6mm</td> <td>25mm</td> <td></td> </tr> </tbody> </table>		"Metric Sizes"					(3)	(4)	(5)	(6)	306445 B	50mm	81.6mm	25mm	
	"Metric Sizes"																
	(3)	(4)	(5)	(6)													
306445 B	50mm	81.6mm	25mm														

370	Section IV Appendix 14 (3) (a).	The following N. B. may be added at the end of Appendix 14 (3) (a) :—
-----	---------------------------------	-----------------------------------------------------------------------

N. B. "The ban relates to standard bearings only. Import of extra precision and heavy duty bearings will be considered on merits".

371	Section IV Appendix 14 (3) (b) Single Thrust Bearings, Light Series—Metric Size.	The following entry appearing in line 3 under this head may be deemed to have been deleted :—
-----	----------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------

(1)	(2)	(3)	(4)	(5)	(6)
75TA 12	75mm	110mm	27mm

371	Section IV Appendix 14 (3) (b) Light standard series—Double Row Self Aligning Adapter Bearings.	For the words 'Inch Sizes' appearing in this head Read 'Metric Sizes'.
-----	-------------------------------------------------------------------------------------------------	------------------------------------------------------------------------

372	Section IV Appendix 14 (3) (c) Light wide series—Double Row Self Aligning Adapter Bearings.	For the words 'Inch sizes' appearing after this head, Read 'Metric sizes'.
-----	---------------------------------------------------------------------------------------------	----------------------------------------------------------------------------

373	Section IV Appendix 14 (4) (a).	The following N. B. may be added at the end of Appendix 14 (4) (a) :—
-----	---------------------------------	-----------------------------------------------------------------------

N. B. "The ban relates to standard bearings only. Import of extra precision and heavy duty bearings will be considered on merits."

1	2	3
375	Section IV Appen- dix 14 (5) (a).	The following N. B. may be added at the end of Appendix 14 (5) (a) :— N. B. "The ban relates to standard bearings only. Import of extr ^a precision and heavy duty bearings will be considered on merits."
76	Section IV Appen- dix 14.	The N. B. (i), (ii) and (iii) appearing at page 376 may be deemed to have been transferred to page 377 at the end of Appendix 14 (6) (a).
	Section IV Appen- dix 14(6)(a)—Banned types of Taper Roller Bearings.	The entries under Col. (3) from 330201 to PAB 12307 may be substituted by the following:—

(1)	(2)	(3)	(4)	(5)	(6)
..	..	SKF No. 60mm 330201	110mm	28mm	
..	..	SKF No. 18mm I-100545 A/46 SKF No. CK-495 3" AX/K-493	47 mm	14.38mm	
..	..	SKF No. 0.625" CK-11590/ AK11520	1.6875"	0.5625"	
..	..	SKF No. 1.625" AKLM- 501349/ KLM- 501310	2.894"	0.78"	
..	..	SKF No. 1" CK- 15100S/ K-15250 X]	2.5"	0.8125"	
..	..	ABC No 18mm PAB 12303	47mm	14.383 mm	

1	2	3			
	ABC No. 33mm PAB 12305	62mm	16mm
	ABC No. 28mm PAB 12306	70mm	20.5mm
	ABC No. 32mm PAB 12307	72mm	27mm

“N. B. : The ban relates to standard bearings only. Import of extra precision & heavy duty bearings will be considered on merits.”

Issued from file No. IPC (19/II)/67)

P. D. KASBEKAR,

Chief Controller of Imports & Exports.

